European Journal of Pharmacology, 187 (1990) 565–569
Elsevier

Author index

Adejare, A., see Bass, A.S. (187) 87
Adojaan, A., see Rägo, L. (187) 561
Advenier, C., see Sarriá, B. (187) 445
Aguayo, L.G.
Ethanol potentiates the $GABA_A$-activated Cl^- current in mouse hippocampal and cortical neurons (187) 127
Angelucci, L., see Imperato, A. (187) 555
Aoki, K., see Fujimoto, S. (187) 469
Ashwood, N., see Dickenson, A. (187) 225
Auguet, M., Delaflotte, S., Guillon, J.M., Roubert, P., Chabrier, P.E. and Braquet, P.
Endothelin-1, but not sarafotoxin s6b, induces cross-desensitization of rat aorta contraction (187) 293

Bacchi, S., see Imperato, A. (187) 555
Barone, D., see Strolin Benedetti, M. (187) 399
Bass, A.S., Kohli, J.D., Adejare, A., Kirk, K.L. and Goldberg, L.I.
Effect of ring fluorination of epinephrine on its cardiovascular adrenoceptor activities (187) 87
Baudrie, V., see Chaouloff, F. (187) 435
Bazzoni, G., see Del Maschio, A. (187) 541
Beil, W., Staar, U. and Sewing, K.-F.
Substituted thieno[3,4-d]imidazoles, a novel group of H^+/K^+-ATPase inhibitors. Differentiation of their inhibition characteristics from those of omeprazole (187) 455
Berendsen, H.H.G., Broekkamp, C.L.E. and Van Delft, A.M.L.
Antagonism of 8-OH-DPAT-induced behaviour in rats (187) 97
Bernardi, M., Sandrini, M., Vergoni, A.V., Marrama, D., Tagliavini, S. and Bertolini, A.
Influence of gonadotropin-releasing hormone on castration-induced 'depression' in mice: a behavioral and binding study (187) 501
Bertolini, A., see Bernardi, M. (187) 501
Bittiger, H., see Olpe, H.-R. (187) 27
Blengio, M., see Ferretti, C. (187) 345
Bohuon, C., see Gourch, A. (187) 117
Bousselmame, R., see Michael-Titus, A. (187) 201
Bowling, N., Wyss, V.L., Gengo, P.J., Utterback, B., Kauffman, R.F. and Hayes, J.S.
Cardiac inotropic responses to calcium and forskolin are not altered by prolonged isoproterenol infusion (187) 155
Braquet, P., see Auguet, M. (187) 293
Breese, G.R., see McCown, T.J. (187) 49
Brockmeier, D., see Brunner, F. (187) 145
Broekkamp, C.L.E., see Berendsen, H.H.G. (187) 97
Brooks, D.P., see Nambi, P. (187) 113
Brown, G.L., see Sabouni, M.H. (187) 525
Brugger, F., see Olpe, H.-R. (187) 27
Bruhwyler, J.
Anxiolytic potential of a microgram dose of chlordiazepoxide in the open-field test (187) 547
Brunner, F., Kühberger, E., Brockmeier, D. and Kukovetz, W.R.
Evidence for muscarinic receptors in endothelial cells from combined functional and binding studies (187) 145
Bult, H., see De Meyer, G.R.Y. (187) 519
Burnstock, G., see Maynard, K.I. (187) 171
Bush, L.G., see Singh, N.A. (187) 337

Cantor, E., see Greenberg, S.S. (187) 409
Carlsson, A., see Waters, N. (187) 425
Chabrier, P.E., see Auguet, M. (187) 293
Chaouloff, F., Laude, D. and Baudrie, V.
Effects of the $5\text{-}HT_{1C}/5\text{-}HT_2$ receptor agonists DOI and α-methyl-5-HT on plasma glucose and insulin levels in the rat (187) 435
Chen, C.-C., see Yu, S.-M. (187) 39
Chen, Z.-M., see Del Maschio, A. (187) 541
Chiba, S., see Karasawa, Y. (187) 9
Clavenna, G., see Zuccari, G. (187) 19
Cohen, Y., see Gourch, A. (187) 117
Comoy, E., see Gourch, A. (187) 117
Contino, L.C., see Nambi, P. (187) 113
Cortijo, J., see Sarriá, B. (187) 445
Costentin, J., see Michael-Titus, A. (187) 201
Couraud, J.-Y., see Maillet, S. (187) 357
Cremades, A., see Del Rio-Garcia, J. (187) 495
Crivellari, M.T., see Zuccari, G. (187) 19

Dan, T. and Koga, H.
Uricosurics inhibit urate transporter in rat renal brush border membrane vesicles (187) 303
Dandona, P., see Gill, J. (187) 135
De Boer, P., see Drukarch, B. (187) 257
Dejana, E., see Del Maschio, A. (187) 541
De Kloet, E.R., see Sijbesma, H. (187) 209
Delaflotte, S., see Auguet, M. (187) 293
Del Maschio, A., Bazzoni, G., Zatta, A., Chen, Z.-M., Dejana, E. and Prosdocimi, M.
Cloricromene inhibits the activation of human platelets by ADP alone or in combination with adrenaline (187) 541
Del Rio-Garcia, J. and Cremades, A.
GABAergic mechanisms in morphine-induced hypothermia (187) 495

0014-2999/90/$03.50 © 1990 Elsevier Science Publishers B.V. (Biomedical Division)

De Meyer, G.R.Y., Bult, H., Martin, J.F., Van Hoydonck, A.-E. and Herman, A.G.
The effect of a developing neo-intima on serotonergic and adrenergic contractions (187) 519
Dickenson, A., Ashwood, N., Sullivan, A.F., James, I. and Dray, A.
Antinociception produced by capsaicin: spinal or peripheral mechanism? (187) 225
Diecke, F.P.J., see Greenberg, S.S. (187) 409
Dolleman-Van der Weel, M.J., see Drukarch, B. (187) 257
Dostert, P., see Strolin Benedetti, M. (187) 399
Douglas, F.L., see Sabouni, M.H. (187) 525
Doupnik, C.A., see Lee, H.-K. (187) 67
Doxey, J.C., see John, G.W. (187) 531
Dray, A., see Dickenson, A. (187) 225
Drew, K.L., O'Connor, W.T., Kehr, J. and Ungerstedt, U.
Regional specific effects of clozapine and haloperidol on GABA and dopamine release in rat basal ganglia (187) 385
Drukarch, B., Schepens, E., Dolleman-Van der Weel, M.J., De Boer, P., Van Vliet, B.J. and Stoof, J.C.
Lack of a dopamine autoreceptor selective profile of B-HT 920 in functional in vitro model systems of D_2 receptors in rat striatum (187) 257

Efthymiopoulos, C., see Strolin Benedetti, M. (187) 399
Elson, H.F., see Weissman, B.A. (187) 369
Emeis, J.J., see Pruis, J. (187) 105
Erdö, S.L., Ning-sheng, C., Wolff, J.R. and Kiss, B.
Vinpocetin protects against excitotoxic cell death in primary cultures of rat cerebral cortex (187) 551
Esplugues, J., see Sarriá, B. (187) 445

Fagg, G., see Olpe, H.-R. (187) 27
Fernandes, L.B., Preuss, J.M.H., Paterson, J.W. and Goldie, R.G.
Epithelium-derived inhibitory factor in human bronchus (187) 331
Ferretti, C., Blengio, M., Ghi, P. and Genazzani, E.
Differential effects of indolepyruvic acid and 5-hydroxytryptophan on indole metabolism in the pineal gland of the rat during the light-dark cycle (187) 345
Folco, G., see Zuccari, G. (187) 19
Franco-Cereceda, A., Lou, Y.-P. and Lundberg, J.M.
Resiniferatoxin-evoked CGRP release and bronchoconstriction in the guinea-pig lung are inhibited by ruthenium red (187) 291
Freedman, S.B., Harley, E.A., Marwood, R.S. and Patel, S.
In vivo characterisation of novel efficacious muscarinic receptor agonists (187) 193
Froestl, W., see Olpe, H.-R. (187) 27
Fujimoto, S., Aoki, K. and Matsuda, T.
Effects of bepridil compared to those of its quaternary analogue on femoral arteries from spontaneously hypertensive rats (187) 469
Furukawa, Y., see Karasawa, Y. (187) 9

Gaál, L. and Molnár, P.
Effect of vinpocetine on noradrenergic neurons in rat locus coeruleus (187) 537
Gackenheimer, S.L., see Gehlert, D.R. (187) 123
Gale, K., see Wardas, J. (187) 59
Gandhi, V.C. and Jones, D.J.
Modulation of [^{3}H]serotonin release by dihydropyridines in spinal cord synaptosomes (187) 271
Gehlert, D.R., Gackenheimer, S.L., Reel, J.K., Lin, H.-S. and Steinberg, M.I.
Non-peptide angiotensin II receptor antagonists discriminate subtypes of ^{125}I-angiotensin II binding sites in the rat brain (187) 123
Genazzani, E., see Ferretti, C. (187) 345
Gengo, P.J., see Bowling, N. (187) 155
Ghi, P., see Ferretti, C. (187) 345
Gibb, J.W., see Singh, N.A. (187) 337
Gill, J., Dandona, P. and Jeremy, J.Y.
Indomethacin and ibuprofen inhibit the uptake of $^{45}Ca^{2+}$ by washed human platelets through a thromboxane A_2-independent mechanism (187) 135
Goethals, M., see Van Bogaert, P.P. (187) 241
Goldberg, L.I., see Bass, A.S. (187) 87
Goldie, R.G., see Fernandes, L.B. (187) 331
Goromaru, T., see Hashimoto, K. (187) 295
Gourch, A., Orosco, M., Pages, N., Comoy, E., Bohuon, C., Rodriguez, M., Martinez, J., Jacquot, C. and Cohen, Y.
Changes in hypothalamic neuropeptide Y concentrations induced by cholecystokinin analogues (187) 117
Graham, J., see Wardas, J. (187) 59
Grassi, J., see Maillet, S. (187) 357
Greenberg, S.S., Diecke, F.P.J., Cantor, E., Peevy, K. and Tanaka, T.P.
Inhibition of sympathetic neurotransmitter release by modulators of cyclic GMP in canine vascular smooth muscle (187) 409
Guillon, J.M., see Auguet, M. (187) 293

Hall, R.G., see Olpe, H.-R. (187) 27
Hanson, G.R., see Singh, N.A. (187) 337
Harada, M., see Takayanagi, I. (187) 139
Harada, M., see Wanibuchi, F. (187) 479
Harley, E.A., see Freedman, S.B. (187) 193
Hashimoto, K. and Goromaru, T.
High-affinity binding of [^{3}H]6-nitroquipazine to 5-hydroxytryptamine transporter in human platelets (187) 295
Hayes, J.S., see Bowling, N. (187) 155
Herman, A.G., see De Meyer, G.R.Y. (187) 519
Hidaka, K., see Wanibuchi, F. (187) 479
Himmel, H.M., Wilhelm, D. and Ravens, U.
Effects of R56865 on membrane currents in isolated ventricular cardiomyocytes of the guinea-pig (187) 235
Huang, T.-F., see Yu, S.-M. (187) 39
Huang, Y.-L., see Yu, S.-M. (187) 39

Imhoff, V., see Maillet, S. (187) 357
Imperato, A., Scrocco, M.G., Bacchi, S. and Angelucci, L.
NMDA receptors and in vivo dopamine release in the nucleus accumbens and caudatus (187) 555

Jacquot, C., see Gourch, A. (187) 117
James, I., see Dickenson, A. (187) 225
Janowsky, D.S., see Pucilowski, O. (187) 507
Jeremy, J.Y., see Gill, J. (187) 135
John, G.W., Doxey, J.C., Walter, D.S. and Reid, J.L.
Selective α_2-adrenoceptor blockade does not enhance glucose-evoked insulin release (187) 531
Johns, D.W. and Sperelakis, N.
Angiotensin stimulates Ca^{2+}-dependent action potentials in cultured smooth muscle cells (187) 183
Jones, D.J., see Gandhi, V.C. (187) 271
Junien, J.L., see Rivière, P.J.M. (187) 557

Kamei, J., Tanihara, H. and Kasuya, Y.
Antitussive effects of two specific κ-opioid agonists, U-50,488H and U-62,066E, in rats (187) 281
Kanno, M., see Komeichi, K. (187) 313
Kaplan, D., see Weissman, B.A. (187) 369
Karasawa, Y., Furukawa, Y., Ren, L.-M., Takei, M., Murakami, M., Narita, M. and Chiba, S.
Cardiac responses to VIP and VIP-ergic-cholinergic interaction in isolated dog heart preparations (187) 9
Karlsson, G., see Olpe, H.-R. (187) 27
Kasuya, Y., see Kamei, J. (187) 281
Kauffman, R.F., see Bowling, N. (187) 155
Kehr, J., see Drew, K.L. (187) 385
Kirk, K.L., see Bass, A.S. (187) 87
Kiss, B., see Erdö, S.L. (187) 551
Kiuchi, Y., see Takayanagi, I. (187) 139
Klepstad, P., Maurset, A., Moberg, E.R. and Øye, I.
Evidence of a role for NMDA receptors in pain perception (187) 513
Koga, H., see Dan, T. (187) 303
Kohli, J.D., see Bass, A.S. (187) 87
Komeichi, K., Tohse, N., Nakaya, H., Shimizu, M., Zhu, M.-Y. and Kanno, M.
Effects of N-acetylprocainamide and sotalol on ion currents in isolated guinea-pig ventricular myocytes (187) 313
Konishi, T., see Wanibuchi, F. (187) 479
Kotake, A.N., see Sabouni, M.H. (187) 525
Kroodsma, J.M., see Van Wimersma Greidanus, T.B. (187) 1
Kühberger, E., see Brunner, F. (187) 145
Kukovetz, W.R., see Brunner, F. (187) 145

Laude, D., see Chaouloff, F. (187) 435
Lee, H.-K., Ohya, Y., Doupnik, C.A. and Sperelakis, N.
Effects of azelastine on contraction of guinea pig tracheal smooth muscle (187) 67
Lin, C.-H., see Yu, S.-M. (187) 39
Lin, H.-S., see Gehlert, D.R. (187) 123
Linnoila, M., see Wozniak, K.M. (187) 287
Löfberg, L., see Waters, N. (187) 425
Lou, Y.-P., see Franco-Cereceda, A. (187) 291
Lundberg, J.M., see Franco-Cereceda, A. (187) 291

Maigret, C., see Van Wimersma Greidanus, T.B. (187) 1
Maillet, S., Imhoff, V., Rossignol, B., Grassi, J., Pradelles, P. and Couraud, J.-Y.
Anti-substance P anti-idiotypic antibodies modulate the secretory process in the rat parotid gland in vitro (187) 357
Marrama, D., see Bernardi, M. (187) 501
Martin, J.F., see De Meyer, G.R.Y. (187) 519
Martin, P., Massol, J., Scalbert, E. and Puech, A.J.
Involvement of angiotensin-converting enzyme inhibition in reversal of helpless behavior evoked by perindopril in rats (187) 165
Martinez, J., see Gourch, A. (187) 117
Marwood, R.S., see Freedman, S.B. (187) 193
Masso, R., see Rägo, L. (187) 561
Massol, J., see Martin, P. (187) 165
Matsuda, T., see Fujimoto, S. (187) 469
Maurset, A., see Klepstad, P. (187) 513
Maynard, K.I., Saville, V.L. and Burnstock, G.
Sensory-motor neuromodulation of sympathetic vasoconstriction in the rabbit central ear artery (187) 171
McCown, T.J. and Breese, G.R.
Effects of apamin and nicotinic acetylcholine receptor antagonists on inferior collicular seizures (187) 49
Meldrum, B.S., see Smith, S.E. (187) 131
Michael-Titus, A., Bousselmame, R. and Costentin, J.
Stimulation of dopamine D_2 receptors induces an analgesia involving an opioidergic but non enkephalinergic link (187) 201
Micheletti, R., see Schiavone, A. (187) 323
Moberg, E.R., see Klepstad, P. (187) 513
Molnár, P., see Gaál, L. (187) 537
Morcillo, E., see Sarriá, B. (187) 445
Morel, E., see Perrault, G. (187) 487
Murakami, M., see Karasawa, Y. (187) 9
Mustafa, S.J., see Sabouni, M.H. (187) 525

Nakaya, H., see Komeichi, K. (187) 313
Naline, E., see Sarriá, B. (187) 445
Nambi, P., Pullen, M., Contino, L.C. and Brooks, D.P.
Upregulation of renal endothelin receptors in rats with cyclosporine A-induced nephrotoxicity (187) 113
Narita, M., see Karasawa, Y. (187) 9
Newman, A.H., see Weissman, B.A. (187) 369
Ning-sheng, C., see Erdö, S.L. (187) 551

O'Connor, W.T., see Drew, K.L. (187) 385
Ohtsuki, H., see Takayanagi, I. (187) 139
Ohya, Y., see Lee, H.-K. (187) 67
Olpe, H.-R., Karlsson, G., Pozza, M.F., Brugger, F., Steinmann, M., Van Riezen, H., Fagg, G., Hall, R.G., Froestl, W. and Bittiger, H.
CGP 35348: a centrally active blocker of $GABA_B$ receptors (187) 27
Orosco, M., see Gourch, A. (187) 117
Overstreet, D.H., see Pucilowski, O. (187) 507
Øye, I., see Klepstad, P. (187) 513

Pages, N., see Gourch, A. (187) 117

Pascaud, X., see Rivière, P.J.M. (187) 557
Patel, S., see Freedman, S.B. (187) 193
Paterson, J.W., see Fernandes, L.B. (187) 331
Peevy, K., see Greenberg, S.S. (187) 409
Peretti, G., see Strolin Benedetti, M. (187) 399
Perrault, G., Morel, E., Sanger, D.J. and Zivkovic, B.
Differences in pharmacological profiles of a new generation of benzodiazepine and non-benzodiazepine hypnotics (187) 487
Perry, D.C.
Autoradiography of [^{3}H]quipazine in rodent brain (187) 75
Pert, A., see Wozniak, K.M. (187) 287
Porreca, F., see Rivière, P.J.M. (187) 557
Pot, M.L.H., see Van Wimersma Greidanus, T.B. (187) 1
Pozza, M.F., see Olpe, H.-R. (187) 27
Pradelles, P., see Maillet, S. (187) 357
Preuss, J.M.H., see Fernandes, L.B. (187) 331
Prosdocimi, M., see Del Maschio, A. (187) 541
Pruis, J. and Emeis, J.J.
Endothelin-1 and -3 induce the release of tissue-type plasminogen activator and Von Willebrand factor from endothelial cells (187) 105
Pucilowski, O., Overstreet, D.H., Rezvani, A.H. and Janowsky, D.S.
Effect of verapamil on submissive behavior in genetically bred hypercholinergic rats in a water competition test (187) 507
Puech, A.J., see Martin, P. (187) 165
Pullen, M., see Nambi, P. (187) 113

Rägo, L., Adojaan, A. and Masso, R.
[^{3}H]Ro 5-4864 binding sites in the nucleus of rat lymphocytes (187) 561
Ravens, U., see Himmel, H.M. (187) 235
Reel, J.K., see Gehlert, D.R. (187) 123
Reid, J.L., see John, G.W. (187) 531
Ren, L.-M., see Karasawa, Y. (187) 9
Rezvani, A.H., see Pucilowski, O. (187) 507
Rivière, P.J.M., Pascaud, X., Junien, J.L. and Porreca, F.
Neuropeptide Y and JO 1784, a selective σ ligand, alter intestinal ion transport through a common, haloperidol-sensitive site (187) 557
Rodriguez, M., see Gourch, A. (187) 117
Roncucci, R., see Strolin Benedetti, M. (187) 399
Rossignol, B., see Maillet, S. (187) 357
Roubert, P., see Auguet, M. (187) 293

Sabouni, M.H., Brown, G.L., Kotake, A.N., Douglas, F.L. and Mustafa, S.J.
Effects of CGS-15943A on the relaxations produced by adenosine analogs in human blood vessels (187) 525
Sala, A., see Zuccari, G. (187) 19
Sandrini, M., see Bernardi, M. (187) 501
Sandström, P.-E.
Bumetanide reduces insulin release by a direct effect on the pancreatic β-cells (187) 377
Sanger, D.J., see Perrault, G. (187) 487
Sarriá, B., Naline, E., Morcillo, E., Cortijo, J., Esplugues, J. and Advenier, C.
Calcium dependence of the contraction produced by endothelin (ET-1) in isolated guinea-pig trachea (187) 445
Saville, V.L., see Maynard, K.I. (187) 171
Scalbert, E., see Martin, P. (187) 165
Schepens, E., see Drukarch, B. (187) 257
Schiavone, A., Volonté, M. and Micheletti, R.
The gastrointestinal motor effect of benzamide derivatives is unrelated to 5-HT$_3$ receptor blockade (187) 323
Schipper, J., see Sijbesma, H. (187) 209
Scrocco, M.G., see Imperato, A. (187) 555
Sewing, K.-F., see Beil, W. (187) 455
Shimizu, M., see Komeichi, K. (187) 313
Sijbesma, H., Schipper, J. and De Kloet, E.R.
The anti-aggressive drug eltoprazine preferentially binds to 5-HT$_{1A}$ and 5-HT$_{1B}$ receptor subtypes in rat brain: sensitivity to guanine nucleotides (187) 209
Simoens, C., see Van Bogaert, P.P. (187) 241
Singh, N.A., Bush, L.G., Gibb, J.W. and Hanson, G.R.
Dopamine-mediated changes in central nervous system neurotensin systems: a role for NMDA receptors (187) 337
Smith, S.E. and Meldrum, B.S.
Receptor site specificity for the acute effects of β-N-methylamino-alanine in mice (187) 131
Sperelakis, N., see Johns, D.W. (187) 183
Sperelakis, N., see Lee, H.-K. (187) 67
Staar, U., see Beil, W. (187) 455
Steinberg, M.I., see Gehlert, D.R. (187) 123
Steinmann, M., see Olpe, H.-R. (187) 27
Stevens, M., see Van Wimersma Greidanus, T.B. (187) 1
Stoof, J.C., see Drukarch, B. (187) 257
Strolin Benedetti, M., Dostert, P., Barone, D., Efthymiopoulos, C., Peretti, G. and Roncucci, R.
In vivo interaction of cabergoline with rat brain dopamine receptors labelled with [^{3}H]N-n-propylnorapomorphine (187) 399
Sullivan, A.F., see Dickenson, A. (187) 225
Svensson, K., see Waters, N. (187) 425

Tagliavini, S., see Bernardi, M. (187) 501
Takayanagi, I., Kiuchi, Y., Ohtsuki, H. and Harada, M.
Activation of propylbenzilylcholine mustard-sensitive muscarinic cholinoceptors more effectively utilizes cytosolic Ca^{2+} for contraction in guinea-pig intestinal smooth muscle (187) 139
Takei, M., see Karasawa, Y. (187) 9
Tamura, T., see Wanibuchi, F. (187) 479
Tanaka, T.P., see Greenberg, S.S. (187) 409
Tanihara, H., see Kamei, J. (187) 281
Teng, C.-M., see Yu, S.-M. (187) 39
Terai, M., see Wanibuchi, F. (187) 479
Tohse, N., see Komeichi, K. (187) 313
Tsai, C.-W., see Yu, S.-M. (187) 39
Tsukamoto, S.-i., see Wanibuchi, F. (187) 479

Ungerstedt, U., see Drew, K.L. (187) 385
Usuda, S., see Wanibuchi, F. (187) 479
Utterback, B., see Bowling, N. (187) 155

Van Bogaert, P.P., Goethals, M. and Simoens, C.
Use- and frequency-dependent blockade by UL-FS 49 of the i_f pacemaker current in sheep cardiac Purkinje fibres (187) 241
Van Delft, A.M.L., see Berendsen, H.H.G. (187) 97
Van Hoydonck, A.-E., see De Meyer, G.R.Y. (187) 519
Van Riezen, H., see Olpe, H.-R. (187) 27
Van Vliet, B.J., see Drukarch, B. (187) 257
Van Wimersma Greidanus, T.B., Kroodsma, J.M., Pot, M.L.H., Stevens, M. and Maigret, C.
Neurohypophyseal hormones and excessive grooming behaviour (187) 1
Vergoni, A.V., see Bernardi, M. (187) 501
Viganò, T., see Zuccari, G. (187) 19
Volonté, M., see Schiavone, A. (187) 323

Walter, D.S., see John, G.W. (187) 531
Wanibuchi, F., Konishi, T., Harada, M., Terai, M., Hidaka, K., Tamura, T., Tsukamoto, S.-i. and Usuda, S.
Pharmacological studies on novel muscarinic agonists, 1-oxa-8-azaspiro[4.5]decane derivatives, YM796 and YM954 (187) 479
Wardas, J., Graham, J. and Gale, K.
Evidence for a role of glycine in area tempestas for triggering convulsive seizures (187) 59
Waters, N., Löfberg, L., Svensson, K. and Carlsson, A.
Increased dopamine release by the autoreceptor antagonist (+)-AJ 76 is Ca^{2+}-dependent (187) 425
Weissman, B.A., Elson, H.F., Kaplan, D. and Newman, A.H.
Presence of peripheral benzodiazepine binding sites on primary rat skeletal fibroblasts (187) 369
Wilhelm, D., see Himmel, H.M. (187) 235
Wolff, J.R., see Erdö, S.L. (187) 551
Wozniak, K.M., Pert, A. and Linnoila, M.
Antagonism of 5-HT_3 receptors attenuates the effects of ethanol on extracellular dopamine (187) 287
Wyss, V.L., see Bowling, N. (187) 155

Yu, S.-M., Chen, C.-C., Huang, Y.-L., Tsai, C.-W., Lin, C.-H., Huang, T.-F. and Teng, C.-M.
Vasorelaxing effect in rat thoracic aorta caused by denudatin B, isolated from the Chinese herb, *Magnolia fargesii* (187) 39

Zatta, A., see Del Maschio, A. (187) 541
Zhu, M.-Y., see Komeichi, K. (187) 313
Zivkovic, B., see Perrault, G. (187) 487
Zuccari, G., Clavenna, G., Sala, A., Viganò, T., Crivellari, M.T. and Folco, G.
Prostaglandins and gastric mucosal protection by esaprazole in rats (187) 19